

**SECTION I  
CHART CORRECTIONS**

<b>★11332</b>	29Ed. 4/04 (NOS)	NEW EDITION	24/04	Dashed line (overhead power cable) [D26] between 30°22'18"N 88°33'51"W 30°22'15"N 88°33'42"W
<b>★11344</b>	35Ed. 12/02 Add (NOS)	LAST NM 17/04 Tabulation of controlling depths from Subsection I-2	24/04	Legend "OVHD PWR CAB AUTH CL 101 FT" 30°22'19"N 88°34'00"W
<b>★11347</b>	33Ed. 7/02 Change (NOS)	LAST NM 9/04 <b>(Side A)</b> Legend to "36 FT MAR 2004" (See 4/04-11347)	24/04	<b>11374</b> 32Ed. 10/03 LAST NM 22/04 <b>(Side A)</b> Change Legend to "PASCAGOULA BAR CHANNEL" 30°11'20"N 88°31'50"W
	Add	Tabulation of controlling depths from Subsection I-2		Legend to "LOWER PASCAGOULA CHANNEL" 30°14'36"N 88°30'18"W
	Change	<b>(Side B)</b> Legend to "36 FT MAR 2004" Legend to "38 FT MAR 2004"		Legend to "UPPER PASCAGOULA CHANNEL" 30°17'32"N 88°31'18"W
	Add	Depth 33 feet	30°06'30.6"N 93°17'03.6"W	Purple solid line (channel separator) between 30°12'16.7"N 88°30'49.7"W 30°12'20.0"N 88°30'55.8"W
	Change	<b>(Side B, Inset 1)</b> Legend to "34 FT JAN 2004" Legend to "32 ft 2003" Legend to "31 FT 2004" Legend to "29 FT JAN 2004" Legend to "26 FT JAN 2004" (See 48/03-11347)	30°11'28.5"N 93°17'55.9"W 30°12'51.1"N 93°16'55.2"W 30°12'51.9"N 93°15'28.2"W 30°13'35.2"N 93°14'39.2"W 30°13'58.9"N 93°14'44.8"W	Legend "HORN ISLAND PASS CHANNEL (see tabulation side B)" 30°12'49.0"N 88°30'38.0"W
	Add	Depth 36 feet	30°10'52.7"N 93°18'20.7"W	Purple solid line (channel separator) between 30°13'27.6"N 88°30'17.2"W 30°13'27.3"N 88°30'24.2"W
		Tabulation of controlling depths from Subsection I-2		Purple solid line (channel separator) between 30°17'10.3"N 88°30'43.5"W 30°17'10.4"N 88°30'50.6"W
	(NOS)			<b>(Side B)</b> Delete Dashed line (overhead power cable) between 30°22'19"N 88°33'33"W 30°22'19"N 88°33'51"W
<b>11348</b>	20Ed. 8/03 (NOS)	LAST NM 4/04 <b>(Side A)</b> Change Legend to "36 FT MAR 2004" Legend to "38 FT MAR 2004" (Supersedes 4/04-11348)	24/04	Change Legend to "UPPER PASCAGOULA CHANNEL" 30°19'02"N 88°32'41"W
	Add	Depth 33 feet	30°06'30.6"N 93°17'03.6"W	Legend to "FIXED BRIDGE HOR CL 150 FT VERT CL 80 FT OVHD PWR CAB AUTH CL 101 FT" (See 20/04-11374)
<b>★11361</b>	71Ed. 12/03 (NOS)	LAST NM 23/04 Submarine pipeline [L40.1] between 28°55'27"N 88°57'34"W 28°56'07"N 88°58'06"W	24/04	Add Purple solid line (channel separator) between 30°17'10.3"N 88°30'43.5"W 30°17'10.4"N 88°30'50.6"W
				Purple solid line (channel separator) between 30°20'49.3"N 88°30'22.3"W 30°20'50.8"N 88°30'29.4"W
<b>11373</b>	43Ed. 9/03 Delete Change Add	LAST NM 22/04 Legend "OVHD PWR CABS AUTH CL 68 FT" Legend to "PASCAGOULA BAR CHANNEL" 30°10'30"N 88°32'25"W Legend to "UPPER PASCAGOULA CHANNEL" 30°18'49"N 88°32'27"W Legend "LOWER PASCAGOULA CHANNEL" 30°15'04"N 88°30'23"W	24/04	Purple solid line (channel separator) between 30°21'45.9"N 88°33'53.3"W 30°21'46.3"N 88°33'57.3"W
		Purple solid line (channel separator) between 30°12'17"N 88°30'50"W 30°12'20"N 88°30'56"W		Dashed line (overhead power cable) [D26] between 30°22'15.3"N 88°33'41.5"W 30°22'17.9"N 88°33'51.0"W
		Legend "HORN I. PASS CHAN." 30°12'49"N 88°30'38"W		
		Purple solid line (channel separator) between 30°13'28"N 88°30'17"W 30°13'27"N 88°30'24"W		
		Purple solid line (channel separator) between 30°17'10"N 88°30'44"W 30°17'10"N 88°30'51"W		
		Purple solid line (channel separator) between 30°20'49"N 88°30'22"W 30°20'51"N 88°30'29"W		
		Purple solid line (channel separator) between 30°21'46"N 88°33'53"W 30°21'46"N 88°33'57"W		
<b>★11375</b>	35Ed. 8/02 Delete Change Add	LAST NM 22/04 Dashed line (overhead power cable) between 30°22'18.9"N 88°33'41.2"W 30°22'19.2"N 88°33'51.4"W Legend to "PASCAGOULA BAR CHANNEL" 30°11'37.5"N 88°31'31.8"W	24/04	
		Legend to "LOWER PASCAGOULA CHANNEL" 30°14'50.7"N 88°30'29.4"W		
		Legend to "UPPER PASCAGOULA CHANNEL" 30°18'45.3"N 88°32'18.6"W		
		Legend to "FIXED BRIDGE HOR CL 150 FT VERT CL 80 FT OVHD PWR CAB AUTH CL 101 FT" (See 20/04-11375)		
		Purple solid line (channel separator) between 30°12'16.7"N 88°30'49.7"W 30°12'20.0"N 88°30'55.8"W		

(continued on next page)

## SECTION I

<b>11375</b>	(Continued)		
	Legend "HORN ISLAND PASS CHANNEL (see tabulation)"	30°12'49.0"N 88°30'38.0"W	
	Purple solid line (channel separator) between 30°13'27.6"N 88°30'17.2"W 30°13'27.3"N 88°30'24.2"W		
	Purple solid line (channel separator) between 30°17'10.3"N 88°30'43.5"W 30°17'10.4"N 88°30'50.6"W		
	Purple solid line (channel separator) between 30°20'49.3"N 88°30'22.3"W 30°20'50.8"N 88°30'29.4"W		
	Purple solid line (channel separator) between 30°21'45.9"N 88°33'53.3"W 30°21'46.3"N 88°33'57.3"W		
	Dashed line (overhead power cable) [D26] between 30°22'15.3"N 88°33'41.5"W 30°22'17.9"N 88°33'51.0"W		
	(NOS)		
<b>11378</b>	33Ed. 2/04 LAST NM 23/04 <b>(Side A)</b>	24/04	
Add	Tabulation (2) of controlling depths from Subsection I-2		
(NOS)			
<b>11382</b>	40Ed. 2/04 LAST NM 18/04	24/04	
Add	Tabulation of controlling depths from Subsection I-2		
(NOS)			
<b>★11383</b>	50Ed. 10/03 LAST NM 13/04	24/04	
Add	Tabulation (2) of controlling depths from Subsection I-2		
(NOS)			
<b>★11384</b>	34Ed. 10/03 LAST NM 13/04	24/04	
Add	Tabulation of controlling depths from Subsection I-2		
(NOS)			
<b>11389</b>	32Ed. 10/13/01 LAST NM 23/04	24/04	
Add	Tabulation of controlling depths from Subsection I-2		
(NOS)			
<b>11390</b>	23Ed. 2/04 LAST NM 23/04 <b>(Side A)</b>	24/04	
Add	Tabulation of controlling depths from Subsection I-2		
(NOS)			
<b>★11391</b>	23Ed. 10/03 LAST NM 23/04	24/04	
Add	Tabulation of controlling depths from Subsection I-2		
(NOS)			
<b>12327</b>	97Ed. 9/03 LAST NM 22/04	24/04	
Relocate	Buoy "KV" from 40°38'54"N 74°03'48"W to 40°39'01"N 74°03'52"W		
(15/04 CG1)			
<b>12333</b>	33Ed. 9/03 LAST NM 17/04	24/04	
Relocate	Buoy "KV" from 40°38'55.2"N 74°03'48.3"W to 40°39'01.4"N 74°03'51.5"W		
(15/04 CG1)			
<b>★12347</b>	29Ed. 12/9/00 LAST NM 35/03	24/04	
Relocate	Buoy "60" from 41°42'41"N 73°56'38"W to 41°42'53"N 73°56'39"W		
(15/04 CG1)			
<b>13218</b>	38Ed. 3/10/01 LAST NM 23/04	24/04	
Relocate	Buoy "6" from 41°27'56"N 70°56'37"W to 41°28'04"N 70°56'41"W		
(15/04 CG1)			
<b>13229</b>	28Ed. 1/04 LAST NM 23/04 <b>(Page E)</b>	24/04	
Relocate	Buoy "6" from 41°27'56"N 70°56'38"W to 41°28'04"N 70°56'41"W		
(15/04 CG1)			
<b>★13230</b>	47Ed. 12/03 LAST NM 23/04	24/04	
Relocate	Buoy "6" from 41°27'57"N 70°56'38"W to 41°28'04"N 70°56'41"W		
(15/04 CG1)			
<b>★14820</b>	20Ed. 1/04 LAST NM 15/04	24/04	
Substitute	Depth 8.1 meters Wk [K26] for dangerous wreck "Rep (1985)"		
(NOS)			
<b>14832</b>	34Ed. 10/02 LAST NM 51/03	24/04	
Add	Tabulation of controlling depths from Subsection I-2		
(NOS)			
<b>★14833</b>	26Ed. 2/04 LAST NM 19/04	24/04	
Add	Tabulation of controlling depths from Subsection I-2		
(NOS)			
<b>14850</b>	52Ed. 10/03 LAST NM 2/04	24/04	
Change	Buoy to "30" R, QR		
(19/04 CG9)			
<b>★14852</b>	45Ed. 2/03 LAST NM 21/04	24/04	
Change	Characteristic of buoy "30" to QR		
(Continuation)			
Delete	Light		
	42°58'24"N 82°25'09"W		
Add	Light "1" Fl G 4s 29ft 3 St M		
	42°58'21"N 82°25'10"W		
<b>(Inset)</b>			
Delete	Light		
	42°58'24"N 82°25'09"W		
Add	Light "1" Fl G 4s 29ft 3 St M		
	42°58'21"N 82°25'10"W		
(19/04 CG9)			
<b>14853</b>	14Ed. 3/03 LAST NM 21/04 <b>(Page 36)</b>	24/04	
Change	Characteristic of buoy "30" to QR		
	42°30'32"N 82°41'54"W		
<b>(Page 49)</b>			
Delete	Light		
	42°58'24.2"N 82°25'09.3"W		
Add	Light "1" Fl G 4s 29ft 3 St M		
	42°58'21.3"N 82°25'09.6"W		
<b>(Page 50)</b>			
Delete	Light		
	42°58'24.2"N 82°25'09.3"W		
Add	Light "1" Fl G 4s 29ft 3 St M		
	42°58'21.3"N 82°25'09.6"W		
(19/04 CG9)			
<b>14910</b>	23Ed. 2/03 LAST NM 17/03	24/04	
Change	Range light, front to QG 43ft, Fl Y 4s 45ft 4 St M		
	44°35'24"N 87°57'30"W		
(19/04 CG9)			
<b>★14918</b>	27Ed. 3/1/04 LAST NM 22/04	24/04	
Change	Range light, front to QG 43ft, Fl Y 4s 45ft 4 St M		
	44°35'22.7"N 87°57'28.7"W		
(19/04 CG9)			
<b>★14926</b>	10Ed. 4/03 LAST NM 20/04 <b>(Page 30)</b>	24/04	
Delete	Legend "236°"		
(NOS)			
	41°38'59"N 87°24'12"W		

## SECTION I

NM 24/04

<b>★14975</b>	33Ed. 10/02 LAST NM 10/04 Add Tabulation (2) of controlling depths from Subsection I-2	24/04	(Inset) Change Light to "6" Fl R 4s 15ft (18/04 CG13) 46°54'44.7"N 124°06'36.9"W
	Double solid line with land tint (bridge) [D23.4] between 46°46'52.5"N 92°05'46.7"W 46°46'53.4"N 92°05'44.0"W		
	Legend "BASCULE BRIDGE HOR CL 63 FT HOR CL 63 FT (OPEN) VERT CL 6 FT 46°46'54.5"N 92°05'55.5"W		
	Caution note "CAUTION BASCULE BRIDGE CLEARANCES For bascule bridges, whose spans do not open to a full upright or vertical position, unlimited vertical clearance is not available for the entire charted horizontal clearance." 46°46'12.4"N 92°09'49.1"W (NOS)		
<b>★16435</b>	6Ed. 4/04 NEW EDITION (NOS)	24/04	
<b>★16486</b>	7Ed. 5/04 NEW EDITION (NOS)	24/04	
<b>★16516</b>	7Ed. 3/04 NEW EDITION (NOS)	24/04	
<b>★16529</b>	15Ed. 4/04 NEW EDITION (NOS)	24/04	
<b>★17303</b>	10Ed. 3/04 NEW EDITION (NOS)	24/04	
<b>18007</b>	31Ed. 3/31/01 LAST NM 22/04 Add Buoy "94" Y, spherical, Fl(5) Y 20s (Priv) 40°17.6'N 124°44.4'W Buoy "128" Y, spherical, Fl(5) Y 20s (Priv) 40°45.2'N 124°18.8'W (10/04 CG11)	24/04	
<b>18008</b>	7Ed. 10/12/96 LAST NM N22/04 Add Buoy "94" Y, spherical, Fl(5) Y 20s (Priv) 40°17.6'N 124°44.4'W (10/04 CG11)	N24/04	
<b>18010</b>	20Ed. 2/10/01 LAST NM 16/04 Add Buoy "94" Y, spherical, Fl(5) Y 20s (Priv) 40°17.6'N 124°44.4'W Buoy "128" Y, spherical, Fl(5) Y 20s (Priv) 40°45.2'N 124°18.8'W (10/04 CG11)	24/04	
<b>18020</b>	37Ed. 9/03 LAST NM 22/04 Add Buoy "28" Y, spherical, Fl(5) Y 20s (Priv) 33°51.3'N 118°38.0'W Buoy "94" Y, spherical, Fl(5) Y 20s (Priv) 40°17.6'N 124°44.4'W Buoy "102" Y, spherical, Fl(5) Y 20s (Priv) 33°58.8'N 119°00.0'W (10/04 CG11)	24/04	
<b>18022</b>	34Ed. 11/03 LAST NM 23/04 Add Buoy "28" Y, spherical, Fl(5) Y 20s (Priv) 33°51.3'N 118°38.0'W Buoy "102" Y, spherical, Fl(5) Y 20s (Priv) 33°58.8'N 119°00.0'W (10/04 CG11)	24/04	
<b>★18502</b>	84Ed. 6/02 LAST NM 21/04 Delete Light (FR 15ft) 46°57'39"N 123°50'35"W Light (FR 19ft (Priv)) and legend "PA" 46°57'52"N 123°51'11"W Change Light to "6" Fl R 4s 15ft 46°54'45"N 124°06'37"W	24/04	
<b>★18553</b>	7Ed. 4/04 NEW EDITION (NOS)	24/04	
<b>★18620</b>	23Ed. 6/1/02 LAST NM 7/04 Add Buoy "94" Y, spherical, Fl(5) Y 20s (Priv) 40°17.6'N 124°44.4'W Buoy "128" Y, spherical, Fl(5) Y 20s (Priv) 40°45.2'N 124°18.8'W (10/04 CG11)	24/04	
<b>★18720</b>	31Ed. 7/29/00 LAST NM 23/04 Add Danger circle "Obstn" [K40] 34°20.5'N 119°31.2'W Danger circle "Obstn" [K40] 34°23.0'N 119°34.1'W Danger circle "Obstn" [K40] 34°20.4'N 119°31.9'W Danger circle "Obstn" [K40] 34°23.3'N 119°35.8'W Buoy "102" Y, spherical, Fl(5) Y 20s (Priv) 33°58.8'N 119°00.0'W (NOS; 10/04 CG11)	24/04	
<b>★18725</b>	27Ed. 6/03 LAST NM 23/04 Add Danger circle "Obstn" [K40] 34°20'33"N 119°31'11"W Danger circle "Obstn" [K40] 34°23'00"N 119°34'05"W Danger circle "Obstn" [K40] 34°20'27"N 119°31'55"W Danger circle "Obstn" [K40] 34°23'19"N 119°35'46"W (NOS)	24/04	
<b>18740</b>	40Ed. 8/03 LAST NM 23/04 Add Buoy "28" Y, spherical, Fl(5) Y 20s (Priv) 33°51.3'N 118°38.0'W Buoy "102" Y, spherical, Fl(5) Y 20s (Priv) 33°58.8'N 119°00.0'W (10/04 CG11)	24/04	
<b>★18744</b>	30Ed. 5/9/98 LAST NM 35/03 Add Buoy "28" Y, spherical, Fl(5) Y 20s (Priv) 33°51'16"N 118°37'59"W (10/04 CG11)	24/04	
<b>18760</b>	6Ed. 9/5/98 LAST NM N22/04 Add Buoy "28" Y, spherical, Fl(5) Y 20s (Priv) 33°51.3'N 118°38.0'W Buoy "102" Y, spherical, Fl(5) Y 20s (Priv) 33°58.8'N 119°00.0'W (10/04 CG11)	N24/04	
<b>19002</b>	9Ed. 3/1/97 LAST NM N23/04 Relocate Buoy (FAD) "Q" from 21°05.4'N 156°14.8'W to 21°08.5'N 156°07.7'W (18/04 CG14)	N24/04	
<b>19004</b>	37Ed. 1/04 LAST NM 23/04 Relocate Buoy (FAD) "Q" from 21°05.4'N 156°15.0'W to 21°08.5'N 156°07.7'W (18/04 CG14)	24/04	
<b>19010</b>	18Ed. 3/04 LAST NM 23/04 Relocate Buoy (FAD) "Q" from 21°05.5'N 156°14.8'W to 21°08.5'N 156°07.7'W (18/04 CG14)	24/04	
<b>19013</b>	17Ed. 2/04 LAST NM 23/04 Relocate Buoy (FAD) "Q" from 21°05.2'N 156°14.8'W to 21°08.5'N 156°07.7'W (18/04 CG14)	24/04	
<b>19339</b>	1Ed. 7/19/97 LAST NM N23/04 Relocate Buoy (FAD) "Q" from 21°05.4'N 156°14.8'W to 21°08.5'N 156°07.7'W (18/04 CG14)	N24/04	

★19340	26Ed. 12/2/00 LAST NM 23/04 Relocate Buoy (FAD) "Q" from 21°05.4'N 156°14.8'W to 21°08.5'N 156°07.7'W (18/04 CG14)	24/04	★35040	18Ed. 5/10/97 CHART CANCELED (NGA)	24/04
21544	20Ed. 6/24/95 LAST NM 33/00 Delete Buoy (18/1973T)04 Taunton)	24/04 9°54'32"N 84°44'54"W	★35042	9Ed. 1/18/97 CHART CANCELED (NGA)	24/04
21546	3Ed. 9/9/95 LAST NM 11/00 Delete Buoy Add Legend "See Note" Note "NOTE Wavemeter buoy, restricted area, and submarine cable reported to lie 0.65 mile 302° from charted position (2004)" (18/1973T)04 Taunton)	24/04 9°54'32.3"N 84°44'53.6"W 9°54'38.0"N 84°43'48.0"W	35130	3Ed. 11/15/97 LAST NM 5/03 Add Depth 18 meters Wk [K30] (18/1935)04 Taunton)	24/04 59°01.6'N 2°42.4'W
			35136	2Ed. 9/1/84 LAST NM 51/02 Add Depth 18 meters Wk [K30] (18/1935)04 Taunton)	24/04 59°01'39"N 2°42'18"W
			35200	7Ed. 6/14/97 LAST NM 25/03 Add Depth 18 meters Wk [K30] (18/1935)04 Taunton)	24/04 59°01.6'N 2°42.4'W
★22052	7Ed. 2/7/04 NEW EDITION (NGA)	24/04	37082	9Ed. 3/6/99 LAST NM 11/03 Relocate Buoy "SW Shingles" from 50°39'21.0"N 1°37'25.5"W to 50°39'21.3"N 1°37'28.2"W (7/04 Trinity House)	24/04
23010	4Ed. 12/28/96 LAST NM 38/02 Delete Depth 8.2 meters Add Depth 7.8 meters (Arg CH H-360)	24/04 47°42.8'S 65°49.0'W 47°43.5'S 65°49.4'W	37120	2Ed. 3/22/97 LAST NM 20/04 Delete Depth 33 meters Wk (3/63)04 Oostende)	24/04 51°32.5'N 2°19.1'E
23071	3Ed. 11/24/84 LAST NM 37/01 Substitute Depth 7.8 meters for 0.8 meter (Arg CH H-360)	24/04 47°43'31"S 65°49'22"W	37140	33Ed. 5/25/96 LAST NM 12/04 Delete Depth 33 meters Wk (3/63)04 Oostende)	24/04 51°32.5'N 2°19.1'E
24404	8Ed. 9/4/93 LAST NM 11/04 Add Danger circle [K1] "Shoal rep (2003)" (23/03 Caracas)	24/04 10°43.0'N 62°51.0'W	37164	4Ed. 1/25/97 LAST NM 22/04 <b>(Panel B)</b> Add Depth 12.7 meters (7/99)04 's-Gravenhage)	24/04 52°30'03"N 4°26'07"E
24430	5Ed. 8/7/93 LAST NM 52/03 Add Danger circle [K1] "Shoal rep (2003)" (23/03 Caracas)	24/04 10°43.0'N 62°51.0'W	37223	14Ed. 9/2/95 LAST NM 21/04 Add Depth 16.2 meters (7/100)04 's-Gravenhage)	24/04 53°07.8'N 4°38.7'E
24508	3Ed. 3/22/03 LAST NM 22/03 Add Buoy "7A" G, pillar, Fl G 3s (35/04 Bogota)	24/04 10°19'02.0"N 75°34'33.0"W	37243	7Ed. 5/23/98 LAST NM 37/03 <b>(Panel A)</b> Change Legend to "3.9m" (7/94)04 's-Gravenhage)	24/04 51°54'16.8"N 4°29'19.2"E
24510	2Ed. 6/24/95 LAST NM 21/04 Add Buoy "7A" G, pillar, Fl G 3s (35/04 Bogota)	24/04 10°19'02"N 75°34'33"W	37244	11Ed. 2/1/97 LAST NM 20/04 Delete Depth 33 meters Wk Substitute Depth 24 meters for 25.5 meters Add Foul ground symbol [K31] (3/63)04 Oostende; 5(77), 10(118)04 's-Gravenhage)	24/04 51°32.5'N 2°19.1'E 51°53.5'N 2°44.0'E 51°46.9'N 3°19.0'E
24512	3Ed. 9/20/97 LAST NM 42/03 Add Fish haven symbol [K46.1] Fish haven symbol [K46.1] (37, 38/04 Bogota)	24/04 9°26'34"N 75°44'20"W 9°26'11"N 75°40'04"W	37246	14Ed. 5/16/98 LAST NM 22/04 Delete Buoy "WP 1" Buoy "WP 3" Buoy "WP 5" Relocate Buoy "49" from 51°25'54"N 4°00'36"E to 51°25'46"N 4°00'44"E Add Buoy "WP" Y, conical (7/96)04 's-Gravenhage)	24/04 51°26'02"N 3°59'49"E 51°25'59"N 4°00'10"E 51°25'48"N 4°00'30"E 51°25'46"N 4°00'44"E 51°26'41"N 4°00'32"E
24513	18Ed. 1/17/98 LAST NM 42/03 Add Fish haven symbol [K46.1] Fish haven symbol [K46.1] (37, 38/04 Bogota)	24/04 9°26'34"N 75°44'20"W 9°26'11"N 75°40'04"W	43262	5Ed. 6/18/94 LAST NM 46/03 Delete Submarine cable between Submarine cable between Anchorage symbol Anchorage symbol (small vessels) Add Beacon Beacon	24/04 62°48'05"N 6°30'37"E 62°48'04"N 6°31'47"E 62°43'09"N 6°56'20"E 62°43'41"N 6°58'54"E 62°50'09"N 6°57'25"E 62°49'10"N 6°48'18"E 62°43'19"N 7°10'25"E 62°43'06"N 7°10'32"E
27083	39Ed. 11/26/94 LAST NM 4/04 <b>(Plan A)</b> Change Buoy "1" to G, pillar, can topmark, Fl G 5s (See 4/04-27083) (3/21)04 Habana)	24/04 23°01'40.0"N 82°45'24.6"W			
★35006	Ed. 11/01 NEW CHART (NGA)	N24/04			
★35027	Ed. 11/01 NEW CHART (NGA)	N24/04			

(continued on next page)

## SECTION I

**NM 24/04**

<b>43262</b>	(Continued)			
	Beacon	62°43'02"N 7°11'08"E	Submarine pipeline [L40.1] between	62°47'22"N 6°55'24"E
	Beacon	62°43'34"N 7°14'48"E		62°47'20"N 6°55'41"E
	Submarine pipeline [L40.1] joining	62°35'48"N 6°28'05"E	Submarine pipeline [L40.1] joining	62°46'58"N 6°52'51"E
		62°35'46"N 6°27'50"E		62°46'49"N 6°52'49"E
		62°35'39"N 6°27'41"E		62°46'41"N 6°52'41"E
		62°35'38"N 6°27'28"E	Submarine pipeline [L40.1] between	62°48'54"N 6°55'42"E
	Submarine pipeline [L40.1] between	62°47'41"N 6°55'12"E		62°48'42"N 6°55'48"E
		62°47'53"N 6°55'22"E	Submarine pipeline [L40.1] between	62°48'47"N 6°54'34"E
	Submarine pipeline [L40.1] between	62°47'31"N 6°55'24"E		62°48'48"N 6°55'05"E
		62°47'29"N 6°55'38"E	Submarine pipeline [L40.1] joining	62°48'29"N 6°54'32"E
	Submarine pipeline [L40.1] between	62°47'22"N 6°55'24"E		62°48'26"N 6°54'44"E
		62°47'20"N 6°55'41"E		62°48'22"N 6°54'48"E
	Submarine pipeline [L40.1] joining	62°46'58"N 6°52'51"E	Submarine pipeline [L40.1] between	62°48'01"N 6°54'10"E
		62°46'49"N 6°52'49"E		62°48'01"N 6°54'24"E
		62°46'41"N 6°52'41"E	Submarine pipeline [L40.1] between	62°47'45"N 6°54'22"E
	Submarine pipeline [L40.1] between	62°50'02"N 6°57'14"E		62°47'50"N 6°54'29"E
		62°50'09"N 6°57'26"E	Submarine pipeline [L40.1] between	62°47'41"N 6°54'45"E
	Submarine pipeline [L40.1] between	62°48'54"N 6°55'42"E		62°47'45"N 6°54'36"E
		62°48'42"N 6°55'48"E	Submarine pipeline [L40.1] between	62°46'36"N 6°58'30"E
	Submarine pipeline [L40.1] between	62°48'47"N 6°54'34"E		62°46'31"N 6°58'21"E
		62°48'48"N 6°55'05"E	Submarine pipeline [L40.1] between	62°46'15"N 6°59'06"E
	Submarine pipeline [L40.1] joining	62°48'29"N 6°54'32"E		62°46'10"N 6°58'52"E
		62°48'26"N 6°54'44"E	Submarine pipeline [L40.1] between	62°46'05"N 6°59'27"E
		62°48'22"N 6°54'48"E		62°46'00"N 6°59'21"E
	Submarine pipeline [L40.1] between	62°48'01"N 6°54'10"E	Submarine pipeline [L40.1] joining	62°48'26"N 6°48'02"E
		62°48'01"N 6°54'24"E		62°48'22"N 6°48'00"E
	Submarine pipeline [L40.1] between	62°47'45"N 6°54'22"E		62°48'13"N 6°47'41"E
		62°47'50"N 6°54'29"E	Submarine pipeline [L40.1] between	62°49'04"N 6°48'16"E
	Submarine pipeline [L40.1] between	62°47'41"N 6°54'45"E		62°49'12"N 6°48'22"E
		62°47'45"N 6°54'36"E	Submarine pipeline [L40.1] joining	62°49'17"N 6°49'09"E
	Submarine pipeline [L40.1] between	62°46'36"N 6°58'30"E		62°49'17"N 6°48'39"E
		62°46'31"N 6°58'21"E		62°49'25"N 6°48'16"E
	Submarine pipeline [L40.1] between	62°46'15"N 6°59'06"E		62°49'30"N 6°47'46"E
		62°46'10"N 6°58'52"E		62°49'29"N 6°47'23"E
	Submarine pipeline [L40.1] between	62°46'05"N 6°59'27"E	Submarine pipeline [L40.1] between	62°50'48"N 6°46'42"E
		62°45'55"N 6°59'13"E		62°50'55"N 6°46'48"E
	Submarine pipeline [L40.1] between	62°45'24"N 6°59'39"E	(Nor CH 33)	
		62°45'32"N 6°59'27"E		
	Submarine pipeline [L40.1] joining	62°48'26"N 6°48'02"E	<b>43369</b>	6Ed. 12/24/94 LAST NM 17/04 24/04
		62°48'22"N 6°48'00"E	Change	Visibility (range) of light to 12-9M 59°09'34"N 10°37'33"E
		62°48'13"N 6°47'41"E	(BA LL)	
	Submarine pipeline [L40.1] between	62°49'04"N 6°48'16"E	<b>43370</b>	7Ed. 6/29/96 LAST NM 23/04 24/04
		62°49'12"N 6°48'22"E	Delete	Anchorage symbol 59°33'51"N 10°14'34"E
	Submarine pipeline [L40.1] joining	62°49'17"N 6°49'09"E	Change	Visibility (range) of light to 12-9M 59°09'35"N 10°37'33"E
		62°49'17"N 6°48'39"E	Add	Submarine cable [L30.1] joining 59°25'32"N 10°29'40"E
		62°49'25"N 6°48'16"E		59°26'02"N 10°33'39"E
	Submarine pipeline [L40.1] joining	62°49'30"N 6°47'46"E		59°25'55"N 10°35'00"E
		62°49'29"N 6°47'23"E		59°25'07"N 10°35'01"E
	Submarine pipeline [L40.1] between	62°50'48"N 6°46'42"E		59°24'49"N 10°35'55"E
		62°50'55"N 6°46'48"E		59°24'45"N 10°37'38"E
	Submarine cable [L30.1] joining	62°43'58"N 7°09'11"E		59°24'34"N 10°39'05"E
		62°43'49"N 7°09'00"E	(BA LL; Nor CH 3)	
		62°43'42"N 7°08'37"E		
		62°43'35"N 7°08'39"E		
	(Nor CH 33)			
<b>43264</b>	2Ed. 8/3/85 LAST NM 46/03	24/04	<b>43371</b>	13Ed. 4/17/99 LAST NM 23/04 24/04
Delete	Submarine cable between	62°48'05"N 6°30'37"E	Delete	Anchorage symbol 59°33'51"N 10°14'39"E
		62°48'04"N 6°31'47"E	(Nor CH 3)	
	Anchorage symbol	62°50'09"N 6°57'25"E	<b>43373</b>	8Ed. 6/22/96 LAST NM 14/04 24/04
	Anchorage symbol (small vessels)	62°49'10"N 6°48'18"E	Change	Visibility (range) of light to 12-9M 59°09'38"N 10°37'33"E
Add	Submarine pipeline [L40.1] between	62°47'41"N 6°55'12"E	(BA LL)	
		62°47'53"N 6°55'22"E	<b>43379</b>	1Ed. 1/29/83 LAST NM 21/95 24/04
	Submarine pipeline [L40.1] between	62°47'31"N 6°55'24"E	Add	Submarine cable [L30.1] joining 59°25'04"N 10°35'32"E
		62°47'29"N 6°55'38"E		59°24'53"N 10°36'00"E
				59°24'51"N 10°37'50"E
				59°24'34"N 10°39'16"E
	(Nor CH 3)			

<b>43386</b>	2Ed. 5/30/98 LAST NM 47/03 Add Submarine cable [L30.1] joining (Nor CH 3)	24/04 59°25'32.5"N 10°29'43.1"E 59°25'37.1"N 10°30'14.0"E 59°25'59.1"N 10°33'24.9"E	Buoy YBY, spar, double cone topmark points together 63°55'10"N 22°54'05"E Buoy BYB, spar, double cone topmark bases together 63°52'23"N 22°58'04"E
<b>44044</b>	6Ed. 11/9/96 LAST NM 16/04 <b>(Plan)</b> Add Beacon Beacon Legend "Dredged to 11m" (49(1566)03 Norrkoping)	24/04 57°06'45"N 12°14'22"E 57°06'48"N 12°14'24"E 57°06'48"N 12°14'14"E	Buoy G, spar, cone topmark 63°56'55"N 22°51'23"E Buoy R, spar, can topmark 63°56'54"N 22°51'23"E
<b>44105</b>	2Ed. 1/29/94 LAST NM 20/04 Delete Anchoring prohibited symbol  Purple composite line between  Purple composite line between  (See 52/03-44105)	24/04 56°09'18"N 14°52'24"E 56°08'43"N 14°51'55"E 56°09'04"N 14°53'24"E 56°09'07"N 14°53'24"E 56°09'40"N 14°52'37"E 56°09'13"N 14°51'49"E 56°09'28"N 14°51'46"E 56°08'59"N 14°51'20"E 56°09'25"N 14°52'37"E 56°09'12"N 14°53'07"E 56°09'16"N 14°53'14"E	Ramark [S2] 63°55'12"N 22°54'22"E Ramark [S2] 63°56'24"N 22°52'02"E Ramark [S2] 63°53'11"N 22°57'17"E (8(158)03 Helsinki)
<b>44352</b>	2Ed. 4/27/96 LAST NM 7/04 Delete Danger circle "Obstr" and buoy close E  Depth 10 meters Rk and buoy close N "ANCHORAGE AREA F" in vicinity "ANCHORAGE AREA G" in vicinity  Change Legend to "Lights in line 249°12"  Add Depth 13 meters Depth 11 meters "ANCHORAGE AREA F" bound by dashed line joining "ANCHORAGE AREA G" bound by dashed line joining (4(29, 30, 32-35)04 Tallinn)	24/04 59°30'41.4"N 24°47'14.2"E 59°30'52.2"N 24°36'04.2"E 59°33'30.0"N 24°35'00.0"E 59°29'10.0"N 24°32'00.0"E 59°28'12.0"N 24°45'49.0"E 59°30'42.0"N 24°47'14.4"E 59°30'52.2"N 24°36'03.6"E 59°34'00.0"N 24°33'30.0"E 59°34'00.0"N 24°36'31.2"E 59°32'34.8"N 24°36'31.2"E 59°32'34.8"N 24°35'54.6"E 59°29'29.4"N 24°30'30.0"E 59°29'29.4"N 24°32'39.0"E 59°28'54.0"N 24°32'39.0"E 59°28'54.0"N 24°31'25.2"E	
<b>44165</b>	1Ed. 10/6/90 LAST NM 18/04 Add Legend "4.9 meters (2003)" between  Legend "4.9 meters (2003)" between (3(1661)04 Norrkoping)	24/04 58°43'06"N 17°08'12"E 58°43'00"N 17°08'20"E 58°42'06"N 17°11'36"E 58°42'00"N 17°12'00"E	44360 9Ed. 10/12/96 LAST NM 11/04 Add Buoy BY, spar, double cone topmark points upward 60°26.3'N 27°29.8'E Buoy BY, spar, double cone topmark points upward 60°27.7'N 27°36.6'E Buoy BYB, spar, double cone topmark bases together 60°25.4'N 27°34.0'E Buoy BYB, spar, double cone topmark bases together 60°27.0'N 27°35.6'E Buoy BY, spar, double cone topmark points upward 60°26.2'N 27°24.5'E Buoy YB, pillar, double cone topmark points downward, VQ(6) + Fl 10s 60°26.4'N 27°26.7'E Buoy BY, spar, double cone topmark points upward 60°26.5'N 27°28.3'E Buoy YB, pillar, double cone topmark points downward, VQ(6) + Fl 10s 60°25.4'N 27°33.6'E Buoy BYB, spar, double cone topmark bases together 60°26.4'N 27°34.8'E Buoy YBY, spar, double cone topmark points together 60°26.3'N 27°35.3'E Buoy YB, pillar, double cone topmark points downward 60°27.6'N 27°39.2'E Buoy BY, spar, double cone topmark points upward 60°27.0'N 27°41.2'E Buoy BY, spar, double cone topmark points upward 60°26.6'N 27°42.0'E Buoy YB, spar, double cone topmark points downward 60°27.6'N 27°39.9'E Light Q(2) WRG 6s 5m 7M 60°26.4'N 27°27.1'E Light Q WRG 7m 5M 60°26.7'N 27°32.7'E Light Fl(2) WRG 6s 9m 8M 60°27.3'N 27°42.6'E (5(106)01 Helsinki; Fin CH 13)
<b>44184</b>	9Ed. 5/11/96 LAST NM 21/04 Add Buoy BY, spar (51-52(1612)03 Norrkoping)	24/04 59°25'49.4"N 18°40'12.2"E	
<b>44186</b>	2Ed. 6/15/96 LAST NM 23/04 Add Buoy BY, spar (51-52(1612)03 Norrkoping)	24/04 59°25'49"N 18°40'12"E	
<b>44192</b>	1Ed. 12/18/93 LAST NM 15/04 Add Submarine pipeline [L40.1] between (2(1638)04 Norrkoping)	24/04 59°16'41"N 17°51'16"E 59°16'28"N 17°51'17"E	
<b>44243</b>	2Ed. 8/3/96 LAST NM 22/04 Add Buoy YBY, spar, double cone topmark points together 63°52'59"N 22°57'39"E Buoy BYB, spar, double cone topmark bases together 63°53'16"N 22°57'31"E Buoy BYB, spar, double cone topmark bases together 63°53'36"N 22°57'05"E Buoy BYB, spar, double cone topmark bases together 63°54'38"N 22°55'36"E Buoy BYB, spar, double cone topmark bases together 63°56'52"N 22°51'58"E Buoy YBY, spar, double cone topmark points together 63°56'34"N 22°52'01"E Buoy YBY, spar, double cone topmark points together 63°55'15"N 22°53'47"E Buoy YBY, spar, double cone topmark points together 63°53'13"N 22°57'27"E Buoy YBY, spar, double cone topmark points together 63°56'40"N 22°54'05"E	24/04 Light Q(2) WRG 6s 5m 7M 60°26.4'N 27°27.1'E Light Q WRG 7m 5M 60°26.7'N 27°32.7'E Light Fl(2) WRG 6s 9m 8M 60°27.3'N 27°42.6'E (5(106)01 Helsinki; Fin CH 13)	
<b>44400</b>	4Ed. 9/7/96 LAST NM 19/04 Substitute Depth 9 meters Wk [K26] for 10.6 meters Wk Add Light Fl WR 2s Depth 4.8 meters enclosed by depth contour (6-meter)	24/04 58°34.6'N 23°27.2'E 58°34.6'N 23°30.5'E 58°28.7'N 23°28.5'E	

(continued on next page)

## SECTION I

NM 24/04

<b>44400</b>	(Continued)			
	Depth 4.1 meters enclosed by depth contour (6-meter)	57°56.0'N 22°08.8'E		24/04
	Depth 9.5 meters enclosed by depth contour (10-meter)	57°45.1'N 21°47.1'E		
	(436, 38, 41, 43, 44)04 Tallinn)			
<b>44420</b>	6Ed. 12/14/96 LAST NM 23/04	24/04		
Delete	Depth 18 meters	57°44.1'N 22°03.0'E		
Add	Depth 9.8 meters	57°43.8'N 21°43.9'E		
	Depth 19.3 meters, blue tint and enclosing depth contour (20-meter) centered	57°44.1'N 22°02.7'E		
	Submarine pipeline area [L41.2] bound by purple composite line and shore joining	57°25.1'N 21°34.5'E 57°25.9'N 21°32.7'E 57°25.6'N 21°32.3'E 57°24.7'N 21°34.1'E		
	Submarine pipeline area [L41.2] bound by purple composite line and shore joining	56°35.9'N 21°01.0'E 56°36.1'N 20°59.7'E 56°35.9'N 20°59.7'E 56°35.7'N 21°00.9'E		
	(12(57)01, 1(9)02 Riga; 4(44)04 Tallinn)			
<b>51223</b>	2Ed. 2/24/96 LAST NM 18/03	24/04		
Add	Racon [S3.1] to buoy "CA 1"	33°39'30"N 7°34'30"W		
(41(3989)00 Taunton)				
<b>51621</b>	9Ed. 6/15/96 LAST NM 20/04	24/04		
Add	Depth 6.8 meters	8°29'12"N 13°18'38"W		
	Depth 10.2 meters	8°33'24"N 13°15'53"W		
	<b>(Plan)</b>			
Delete	Depth 9.1 meters	8°29'40"N 13°12'43"W		
Substitute	Depth 3.7 meters for 7 meters	8°29'39"N 13°12'53"W		
	Depth 8.4 meters for 9.2 meters	8°29'37"N 13°12'33"W		
	Depth 10.1 meters for 11.8 meters	8°28'57"N 13°11'05"W		
	Depth 9.5 meters for 10.7 meters	8°28'55"N 13°11'04"W		
Add	Depth 6.8 meters	8°29'12"N 13°18'38"W		
	Depth 1.4 meters Obstn [K41]	8°29'39"N 13°12'51"W		
	Depth 7.9 meters	8°29'39"N 13°12'45"W		
	Depth 6.4 meters	8°29'39"N 13°12'39"W		
	Depth 7.5 meters	8°29'35"N 13°12'30"W		
(50(4873, 4874, 4876)00 Taunton)				
<b>54151</b>	1Ed. 6/20/92 LAST NM 42/03	24/04		
Substitute	Depth 13.4 meters for 16.7 meters	36°56.0'N 27°18.0'E		
(9(37)04 Istanbul)				
<b>54380</b>	6Ed. 5/11/91 LAST NM 17/04	24/04		
Add	Buoy (mooring) [Q40]	38°12.4'N 26°40.8'E		
(9(36)04 Istanbul)				
<b>54389</b>	8Ed. 5/18/96 LAST NM 52/02	24/04		
Add	Buoy (mooring) [Q40]	38°12'26"N 26°40'47"E		
(9(36)04 Istanbul)				
<b>54400</b>	8Ed. 6/2/90 LAST NM 19/04	24/04		
Substitute	Depth 13.4 meters for 16.7 meters	36°57.5'N 27°20.0'E		
(9(37)04 Istanbul)				
<b>54407</b>	4Ed. 1/27/96 LAST NM 14/04	24/04		
Substitute	Depth 13.4 meters for 16.9 meters	36°57.5'N 27°20.2'E		
(9(37)04 Istanbul)				
<b>54418</b>	4Ed. 10/5/96 LAST NM 49/03	24/04		
Substitute	Depth 13.4 meters for 17 meters	36°57'34.0"N 27°20'15.0"E		
(9(37)04 Istanbul)				
<b>55170</b>	2Ed. 10/5/96 LAST NM 15/04	24/04		
Delete	Buoy "ODAS"	41°25.4'N 41°23.0"E		
(9(33)04 Istanbul)				
<b>57060</b>	7Ed. 1/3/98 LAST NM 43/03	24/04		
Substitute	Depth 41 meters for 64 meters	4°30'07"N 1°48'30"W		
	Depth 11.3 meters for 12 meters	4°55'12"N 1°38'30"W		
Add	Depth 48 meters	4°31'38"N 1°44'58"W		
(3(247)00 Taunton)				
<b>57080</b>	8Ed. 6/28/97 LAST NM 16/99	24/04		
Substitute	Depth 41 meters for 64 meters	4°30'07"N 1°48'30"W		
	Depth 11.3 meters for 12 meters	4°55'12"N 1°38'30"W		
Add	Depth 48 meters	4°31'38"N 1°44'58"W		
	Depth 41 meters	4°37'02"N 1°32'24"W		
	Depth 41 meters	4°37'34"N 1°31'13"W		
	Depth 41 meters	4°39'06"N 1°27'38"W		
	Depth 31 meters	4°40'35"N 1°24'03"W		
(3(247)00 Taunton)				
<b>57103</b>	2Ed. 5/31/97 LAST NM 16/03	24/04		
Add	Dangerous wreck [K28]	6°20'18.0"N 2°30'12.0"E		
(41(3990)00 Taunton)				
<b>57140</b>	10Ed. 8/16/97 LAST NM 43/02	24/04		
Delete	Well (PA)	4°02.2'N 7°18.0'E		
	Well (PA)	4°00.1'N 7°16.5'E		
Add	Foul ground symbol [K31]	4°02.1'N 7°17.2'E		
	Foul ground symbol [K31]	4°00.0'N 7°15.8'E		
	Moored storage tanker [L17] "OKONO TERMINAL" Mo (U), HORN	3°59.4'N 7°17.5'E		
	"Restricted Area" [N2.1] bound by purple composite-line circle, radius 2 miles, centered	3°59.4'N 7°17.5'E		
	Legend "CAUTION NO 2"	3°58.0'N 7°17.0'E		
	Pilot station symbol [T1.1] and anchorage symbol (large vessels) [N10]	4°01.8'N 7°17.5'E		
(25(2529)02 Taunton)				
<b>62194</b>	8Ed. 1/19/02 LAST NM 4/03	24/04		
Add	Anchor berth "S1" [N11.2], radius 0.3 mile, centered	29°40'55.8"N 32°27'00.0"E		
	Anchor berth "S2" [N11.2], radius 0.3 mile, centered	29°40'18.0"N 32°27'00.0"E		
	Anchor berth "S3" [N11.2], radius 0.3 mile, centered	29°39'40.8"N 32°27'00.0"E		
	Anchor berth "S4" [N11.2], radius 0.25 mile, centered	29°41'00.6"N 32°26'06.0"E		
	Anchor berth "S5" [N11.2], radius 0.25 mile, centered	29°40'21.0"N 32°26'06.0"E		
	Anchor berth "S6" [N11.2], radius 0.25 mile, centered	29°39'45.0"N 32°26'06.0"E		
	Anchor berth "S7" [N11.2], radius 0.15 mile, centered	29°40'40.2"N 32°26'30.0"E		
	Anchor berth "S8" [N11.2], radius 0.15 mile, centered	29°40'03.0"N 32°26'30.0"E		
(19(2142)04 Taunton)				
<b>71259</b>	3Ed. 1/18/03 LAST NM 15/04	24/04		
Change	Graticule "08" to "07"	1°07'00"N 103°50'53"E		
(NTM0010/2004)				
<b>74229</b>	2Ed. 9/19/98 LAST NM 21/04	24/04		
Add	Light 2 FBu (F day)	21°06'23"S 149°13'33"E		
	Range line extending in 081°36' direction from above light dashed for 525 meters, thence solid for 1475 meters			
	Legend "261°36'" along above range line (See 5/02-74229)	21°06'11"S 149°14'21"E		
(1(45)04 Wollongong)				
<b>74231</b>	7Ed. 5/30/98 LAST NM 10/04	24/04		
(Plan A)	Relocate Light from 21°06'24.0"S 149°13'28.9"E to 21°06'23.2"S 149°13'32.9"E			
(continued on next page)				

<b>74231</b>	(Continued)			
	Light from 21°06'25.0"S 149°13'23.9"E to 21°06'24.1"S 149°13'26.1"E (See 5/02-74231)			
Change	Legend to "Lts in line 261°36" 21°06'16.0"S 149°14'20.0"E			
Relocate	<b>(Plan B)</b> Light from 21°06'23.8"S 149°13'27.0"E to 21°06'23.2"S 149°13'32.9"E Light from 21°06'24.6"S 149°13'22.0"E to 21°06'24.1"S 149°13'26.1"E			
Change	Legend to "Lts in line 261°36" 21°06'19.2"S 149°13'58.0"E (145)04 Wollongong)			
<b>81067</b>	6Ed. 8/03 LAST NM 12/04	24/04		
Delete	Danger circle "Obstn" Danger circle "Subm buoy"	14°58'10"N 145°35'53"E 14°58'13"N 145°36'04"E		
Add	Danger circle "Foul" [K31] (NOS)	14°58'52"N 145°35'38"E 14°58'12"N 145°35'53"E		
<b>*81071</b>	6Ed. 4/27/91 LAST NM 6/97	24/04		
Delete	Danger circle "Obstn"	14°58'16"N 145°35'55"E		
Add	Danger circle "Foul" [K31] (NOS)	14°58'57"N 145°35'40"E 14°58'17"N 145°35'55"E		
<b>*83484</b>	10Ed. 10/13/01 LAST NM 42/03 <b>(Inset Pago Pago Harbor)</b>	24/04		
Relocate	Buoy "4" from 14°16'35.0"S to 14°16'34.7"S	170°40'49.0"W 170°40'46.3"W		
	(18/04 CG14)			
<b>94004</b>	6Ed. 9/2/95 LAST NM 15/04	24/04		
Add	Wreck [K29] (24/04 Tso-ying)	22°16.0'N 120°16.0"E		
<b>94080</b>	7Ed. 9/23/95 LAST NM 17/04	24/04		
Add	Wreck [K29] (24/04 Tso-ying)	22°16.0'N 120°16.0"E		
<b>94083</b>	12Ed. 1/15/00 LAST NM 15/04	24/04		
Add	Buoy (current meter) Y, spherical, Fl R 4s [Q59] (22/04 Tso-ying)	22°31'01"N 120°17'21"E		
<b>94123</b>	9Ed. 5/11/96 LAST NM 23/04	24/04		
Add	Foul ground symbol (23/04 Tso-ying)	25°12'12"N 121°43'12"E		
<b>94124</b>	13Ed. 3/30/96 LAST NM 23/04	24/04		
Add	Foul ground symbol (23/04 Tso-ying)	25°12'12.0"N 121°43'12.0"E		
<b>95016</b>	8Ed. 12/16/95 LAST NM 21/04	24/04		
Add	Submarine cable [L30.1] joining	37°51.5"N 138°54.3"E 37°52.7"N 138°53.1"E 37°50.8"N 138°48.5"E 37°46.0"N 138°41.6"E 37°33.2"N 138°33.3"E 37°30.8"N 138°29.8"E 37°29.7"N 138°23.5"E 37°27.9"N 138°21.1"E 37°25.9"N 138°15.3"E 37°29.0"N 138°11.4"E  Submarine cable [L30.1] joining		
	(27(1157)99 Tokyo)	37°50.8"N 138°48.5"E 37°47.1"N 138°40.4"E 37°36.8"N 138°35.0"E 37°31.4"N 138°30.0"E 37°29.9"N 138°22.2"E 37°28.2"N 138°19.3"E 37°28.1"N 138°15.4"E 37°33.8"N 138°11.0"E		
<b>95140</b>	15Ed. 10/7/95 LAST NM 21/04	24/04		
Add	Fish haven symbol [K46.1] (47(1745)03 Tokyo)	34°15'42"N 129°10'45"E		
<b>95160</b>	13Ed. 8/19/95 LAST NM 20/04	24/04		
Add	Fish haven symbol [K46.1] (47(1745)03 Tokyo)	34°15.7'N 129°10.8'E		
<b>97040</b>	5Ed. 6/14/97 LAST NM 23/04	24/04		
Add	Fish haven symbol [K46.1] (6(154)04 Tokyo)	40°19'47"N 141°50'12"E		
<b>97080</b>	6Ed. 2/14/04 LAST NM 21/04	24/04		
Change	Visibility (range) of light to 7/5M Visibility (range) of light to 9/4M (47(1733)03 Tokyo; Jpn LL)	37°06'29"N 141°00'05"E 37°06'08"N 140°59'55"E		
<b>97100</b>	4Ed. 8/8/98 LAST NM 17/04	24/04		
Change	Visibility (range) of light to 7M Visibility (range) of light to 5M Light to Fl R 9M, Fl G 4M (47(1733)03 Tokyo; Jpn LL)	37°06'29"N 141°00'05"E 37°06'27"N 141°00'13"E 37°06'08"N 140°59'55"E		
<b>97105</b>	3Ed. 4/9/94 LAST NM 17/04	24/04		
Change	Visibility (range) of light to 7M Visibility (range) of light to 5M Visibility (range) of light to 9M Visibility (range) of light to 4M Visibility (range) of light to 5M (47(1733)03 Tokyo; Jpn LL)	37°06'28.8"N 141°00'05.0"E 37°06'27.3"N 141°00'13.4"E 37°06'08.2"N 140°59'55.3"E 37°06'10.7"N 140°59'46.4"E 37°06'18.9"N 140°59'47.4"E		
<b>97221</b>	20Ed. 1/17/98 LAST NM 18/04	24/04		
Delete	Position circle "Chys 152"	34°19'07"N 135°07'57"E		
Change	Light to Iso G 4s 8M (27(1160)99, 47(1732)03 Tokyo; Jpn LL)	34°22'21"N 134°44'50"E		
<b>97222</b>	12Ed. 12/27/97 LAST NM 17/04	24/04		
Delete	Building symbol and position circle "CHIMNEY (152)" in vicinity	34°19'07"N 135°07'57"E		
Add	Fish haven symbol [K46.1] (47(1732, 1742)03 Tokyo)	34°19'51"N 135°07'06"E		
<b>97234</b>	17Ed. 12/26/98 LAST NM 22/04	24/04		
Change	Characteristic of buoy to Mo(A) G 8s (6(159)04 Tokyo)	34°29'48.0"N 134°10'02.0"E		
<b>97261</b>	15Ed. 1/31/98 LAST NM 23/04	24/04		
Add	Fish haven symbol [K46.1] (6(160)04 Tokyo)	34°12'19"N 132°37'38"E		
<b>97268</b>	10Ed. 1/31/98 LAST NM 6/03	24/04		
Add	Fish haven symbol [K46.1] (6(160)04 Tokyo)	34°10'55.0"N 132°33'35.0"E		
<b>97271</b>	12Ed. 11/29/97 LAST NM 17/04	24/04		
Add	Fish haven symbol [K46.1] Fish haven symbol [K46.1] Fish haven symbol [K46.1] (6(162), 13(352)04 Tokyo)	33°47'37"N 132°10'35"E 33°51'06"N 132°01'09"E 33°55'05"N 131°59'36"E		
<b>97277</b>	12Ed. 1/24/04 LAST NM 21/04	24/04		
Add	Fish haven symbol [K46.1] (6(161)04 Tokyo)	33°30'19"N 132°19'57"E		
<b>97340</b>	8Ed. 4/5/97 LAST NM 14/04	24/04		
Add	Fish haven symbol [K46.1] (15(419)04 Tokyo)	31°37.7'N 130°43.0'E		

## SECTION I

NM 24/04

<b>97342</b>	14Ed. 8/30/97 LAST NM 43/03 Add Fish haven symbol [K46.1] (15(419)04 Tokyo)	24/04 31°37'42"N 130°43'00"E
<b>97420</b>	17Ed. 9/20/97 LAST NM 23/04 Add Fish haven symbol [K46.1] (47(1745)03 Tokyo)	24/04 34°15.7'N 129°10.8'E
<b>805118</b>	3Ed. 1/23/99 LAST NM N12/04 Delete Danger circle "Obstn"  Add Danger circle "Foul" [K31] Danger circle "Subm buoy" (NOS)	N24/04 14°58'13"N 145°36'00"E  14°58'52"N 145°35'38"E 14°58'12"N 145°35'53"E